

Massaging your tummy to help ease constipation

Pelvic Floor and Bowel Function

Information for Patients

Produced: May 2022

Review: May 2025

Leaflet number: 1300 Version: 1

Introduction

Tummy (abdominal) massage is using your hands to stroke and manipulate the soft tissue of your tummy to help with the symptoms of constipation. This can help poo to move around your bowel.

Abdominal massage is done in a clockwise direction around where your bowel naturally sits. The massage should take about 15 to 20 minutes.

Why should I do this?

- Speeds up the time it takes poo to pass around your tummy
- Relieves wind/cramps which can help with stomach pain
- Softens poo to make it easier to pass

How do I do abdominal massage?

Lie on your back with a pillow under your knees. Unperfumed creams and oils can be used in order to help massage. Cold oils such as rapeseed oil or vegetable oil may be something you have anyway. If you do have sensitive skin or eczema the GP may be able to give you an alternative.

The massage begins with a gentle relaxing stroke up the abdominal wall.

Please note: If you have a hiatus hernia or reflux the direction of this stroke is reversed.


**Health information and support is available at www.nhs.uk
or call 111 for non-emergency medical advice**

Visit www.leicestershospitals.nhs.uk for maps and information about visiting Leicester's Hospitals
To give feedback about this information sheet, contact InformationForPatients@uhl-tr.nhs.uk

Step 1 Stroking

Place your flat hand at the bottom of your stomach and gently stroke upwards toward your rib cage. Repeat 10 times

Please note: If you have a hiatus hernia or reflux the direction of this stroke is reversed.




Step 2 Circular stroking movements (Effleurage)

These strokes follow the direction of the bowel.

- Start on the right hand side of your lower stomach,
- move upwards and
- then across to the left hand side and down.


This is repeated several times with increased pressure to stimulate. This will assist in moving the poo along the bowel. **For 2 minutes**



Step 3 Kneading

Start with your hand in a fist on the upper right abdomen just below ribcage. You can add other hand over first for added pressure. **Do** deep circular movements along the colon. This part of the massage may sometimes be uncomfortable because of the deep compression.


For 2 minutes



Step 4 Effleurage


You then repeat step 2 for 2 minutes

Followed by step 1 for up to 1 minute



Step 5 Vibrations

The massage concludes with vibration over the tummy (abdominal wall) to relieve farting (flatus). Vibrate your hand over your tummy to do this.



Are there any side-effects or risks?

This massage is not suitable for anyone with the following:

- Unstable spinal injuries
- Pregnancy
- Inflammatory bowel disease
- Tummy (abdominal) wounds which are less than 6 weeks old

Contact details

For any urgent advice please speak to your GP or call NHS 111.

Pelvic Floor Conservative Management Clinic

8:00am to 4:00pm Monday to Friday. Answer phone messages are picked up in between clinic

اگر آپ کو یہ معلومات کسی اور زبان میں درکار ہیں، تو براہ کرم مندرجہ ذیل نمبر پر ٹیلی فون کریں۔
على هذه المعلومات بلغة أخرى، الرجاء الاتصال على رقم الهاتف الذي يظهر في الأسفل

જો તમને અન્ય ભાષામાં આ માહિતી જોઈતી હોય, તો નીચે આપેલ નંબર પર કૃપા કરી ટેલિફોન કરો

ਜੇ ਤੁਸੀਂ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਭਾਸ਼ਾ ਵਿਚ ਚਾਹੁੰਦੇ ਹੋ, ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਹੇਠਾਂ ਦਿੱਤੇ ਗਏ ਨੰਬਰ 'ਤੇ ਟੈਲੀਫੋਨ ਕਰੋ।

Aby uzyskać informacje w innym języku, proszę zadzwonić pod podany niżej numer telefonu

Previous reference:

If you would like this information in another language or format such as EasyRead or Braille, please telephone 0116 250 2959 or email equality@uhl-tr.nhs.uk