

Information for Patients



# Diet ideas for patients who need a softer or mashed diet

Department of Nutrition and Dietetics

Next review:

Last reviewed:

June 2023

June 2026

Leaflet number: 895 Version: 2

This leaflet is not for patients under International Dysphagia Diet Standard Initiative (IDDSI) staging. It is not designed to replace IDDSI recommendations for those patients identified by Speech and Language Therapy (SLT) as having swallowing difficulties (oropharyngeal dysphagia). Please discuss with SLT for further information for more specific advice.

# Why have I been given this leaflet?

This leaflet is designed for adults who are having difficulty eating and drinking as a result of their disease or its treatment who are **not** under the care of a speech and language therapist who has given specific IDDSI diet advice.

This may include people with tumours in the mouth or throat, people having treatments that result in a sore mouth, people with poorly fitting dentures or loose teeth, patients with gastric problems that need a diet that is easy to manage.

You may find your usual food choices too hard and difficult to manage. Eating may result in pain or discomfort, longer meal times, reduced ability to chew or more food staying in your mouth. This can result in you eating less than you need, causing nutritional deficiencies and weight loss.

This leaflet aims to help you choose suitable foods, adapt your meals and snacks and give you advice on how to get the most nourishment from your meals.

### Health information and support is available at www.nhs.uk or call 111 for non-emergency medical advice

Visit www.leicestershospitals.nhs.uk for maps and information about visiting Leicester's Hospitals To give feedback about this information sheet, contact InformationForPatients@uhl-tr.nhs.uk



#### This leaflet will:

- help you achieve a varied diet when you have a swallowing problem as a result of your disease or treatment.
- help to make sure you are meeting your nutritional needs whilst on a modified diet.
- give you confidence and ideas to progress and improve your diet if advised by the dietitian or speech and language therapist (SLT).

#### Your recommended diet

The speech and language therapist or doctors have recommended you follow a diet o	of the
following consistency:	

### Softer, mashed diets

Over the course of treatment and recovery your ability to manage different food textures may change. It is often necessary to follow a modified diet after treatments such as surgery, radiotherapy or chemotherapy when a softer diet may be needed in the short term.

A softer diet can vary in texture depending upon your needs at the time.

The table on the next pages is a guide to help you see which foods are best managed when following a softer/ mashed diet. You can add more liquid to get a looser texture if needed and you can mash each food down to a level that suits your needs.

If you are finding this consistency too difficult, a smoother diet may be needed. All foods in the 'suitable' column in the table can be blended and sieved, except those in **bold** (see page 5 to 6 for more information).

Foods	Suitable	Best avoided
Cereals	Ready brek or porridge. Any cereal softened with milk.	Cereals which cannot be soaked e.g. crunchy granolas. Cereals containing pieces of nuts, seeds or dried fruit.
Breads	Remove crusts and soften e.g. broken into soup, soaked with tinned tomatoes or spaghetti hoops then mashed well.  Sandwiches can sometimes be managed if a moist filling is used.  Chapattis. These can be chopped into small pieces and mashed with a sauce or dipped in tea if needed.  Toast well-soaked with butter or a sauce.	Crusty breads or rolls. Breads with seeds, nuts or dried fruit.
Pasta / rice	Well cooked pasta either in small shapes or mashed and mixed with a sauce. Well cooked rice mixed with a sauce. Tinned spaghetti. Tinned ravioli.	Pasta without a sauce. Al dente pasta or rice. Rice without a sauce.
Potatoes	Mashed or baked potatoes with plenty of butter and milk / cream / cheese.  Soft thick cut chips softly cooked with a sauce e.g. gravy.  Waffles or hash browns (not crispy) with a sauce.	Potato skins. Dry or crispy potatoes or chips.

Foods	Suitable	Best avoided
Meat and meat alternatives	Soft, well cooked meat that is cut into small pieces with a sauce e.g.:  Tinned sausages in spaghetti  Corned beef  Hot dog sausages  Slow cooked chicken or beef  Tinned ham  Tinned chicken or beef  Quorn mince  Smooth pate  Potted meats  Faggots  Haggis  Skinless sausages  Mince (may need to be blended if contains hard lumps)	Dry, tough meat e.g.:  Chicken breast  Steak, Pork chop Sausages with skins Bacon
Fish	Most fish can be easily mashed with a sauce.  Fresh fish e.g. white fish or salmon.  Tinned fish (without bones).  Tinned crab.  Fish pate.	Fish with bones or crispy skin. Shellfish.
Beans and pulses	Well cooked lentils e.g. dhal. Hummus. Soft baked beans.	Beans with dry skins. Dry crispy lentil snacks.
Eggs	Moist scrambled eggs.  Egg mayonnaise.  Poached or soft boiled eggs.  Lightly fried eggs.	Dry boiled eggs without mayonnaise.
Nuts and seeds	Only if ground up e.g. in cakes.	All hard nuts and seeds.



Foods	Suitable	Best avoided
	Boiled root vegetables. Skins removed as required and cut into small pieces or mashed e.g. carrots, swede, parsnips, butternut squash.	Raw vegetables
Vegetables and	Cooked spinach.	Lettuce
salad	Well cooked broccoli / cauliflower florets.	Crunchy or roasted vegetables Peas
	Mushy peas.	Sweetcorn
	Cooked mushrooms.	
	Roasted courgettes / aubergine.	
	Tinned fruit.	
	Stewed fruit.	
Fruits	Banana, strawberries/raspberries.	Raw, hard fruits e.g. apples and pears.
	Cooked tomatoes (skinless if needed).	Fruits with skins e.g. cherries.
	Roasted, jarred peppers.	
	Avocados or guacamole.	
Dairy products	Milk Evaporated / condensed milk Yogurts Soft cheese Cottage cheese Grated cheese mixed into other foods Crème fraiche Ice-cream Cream Fromage frais Rice pudding / tapioca / semolina Custard Trifle and mousses	Yogurts with nuts, seeds, granola or dried fruit.  Dry, crumbly cheese.  Cheese with fruit or nuts.
Biscuits and cakes	Soft cakes (mashed with custard, ice-cream or cream if needed). Biscuits dunked in hot drinks.	Fruit cake Malt loaf Hard, dry biscuits Dry crackers
	Crisps that 'melt in the mouth' e.g. Quavers, Wotsits, Skips.	Crunchy crisps Twiglets
Other snacks	Crackers e.g. Ritz with cream cheese / smooth dips.	Nuts
	Jelly	Dried fruit
	Chocolate	Hard or chewy sweets / mints
	Jelly babies	Bombay mix

### What is a pureed diet?

If a softer or mashed diet is too difficult to manage, a pureed diet is likely to be easier.

Pureed food is smooth and has no lumps. Most food can be pureed by blending it with gravy, sauces, milk or water to a consistency you find easiest. By adding more or less liquid you can change the thickness of the puree.

Some foods are naturally a pureed consistency, i.e. smooth yoghurts (without bits) or custard.

Most foods can be made into a pureed consistency using one of the following pieces of kitchen equipment:

- a liquidiser
- a food processor
- a hand-held blender
- a sieve

# How to puree your own food

- Remove skins, seeds, pith, bones or other parts you cannot eat.
- Prepare your food as normal, then cut into small pieces and put in the liquidiser or blender.
- Add fluids such as milk, cream, juice, stock or gravy and blend to form a smooth consistency.
- If you are using a sieve, push the pureed mixture through the sieve using the back of a spoon to remove any remaining pips, lumps or skins.
- You may need to reheat the meal when you have finished preparing it as your food may have cooled down during the blending process.
- Pureeing different foods separately is not essential but can make the meals look more appealing.
- It can be easier to batch cook pureed meals then freeze them for convenience later.

If you need more information on a pureed diet, please contact your dietitian or speech and language therapist

# **Practical tips**

- Eat in a quiet relaxed atmosphere and take your time.
- Make sure you swallow each mouthful before you take the next one. If you feel that some food
  is still at the back of your throat, swallow again before continuing to eat.
- Presentation make your meals look appealing by using foods that are different colours.
   Foods that are light in colour such as chicken or fish are better served with brightly coloured vegetables such as carrots or broccoli.

- Portioning and freezing food if you have a freezer, you may find it helpful make up a full recipe (4 to 6 servings) and then divide into portions to be frozen:
  - Cool the food after cooking.
  - Portion into clean, plastic containers.
  - Label and date the container pots.
  - Freeze as soon as cooled.
  - To eat, defrost portions thoroughly at room temperature or in the microwave, then reheat. Remember not to re-freeze previously defrosted food or reheat food more than once due to the risk of food poisoning.
- Convenience foods if you are feeling tired preparing meals can be an effort. Using
  convenience foods or ready meals can make life a bit easier for you. These can still be
  nourishing. Choose softer ready meals, such as fish pie, pasta meals or cottage pie and
  blend as directed previously if needed.
- Some companies also deliver pre-prepared pureed meals to your home, e.g. Wiltshire Farm Foods, Simply Puree and Oakhouse Foods. Contact details for these can be found on the next page.

# Maintaining or increasing your weight on a modified diet

Maintaining or increasing your weight can be difficult if you need a modified diet. If this is the case, it is best to try and enrich your foods as much as possible. Listed below are some ideas for adding extra calories and protein into your meals:

- Try and eat at least 3 meals per day and 3 small snacks between your meals.
- Using ready meals or tinned foods is fine. These are easier options if you find preparing or cooking food difficult.
- Use full fat dairy products e.g. blue top milk, thick and creamy yogurts.
- Enrich your milk by adding 2 tablespoons of skimmed milk powder to a pint of milk and shake well. This can be kept in the fridge and used as normal.
- Fortify your foods by adding grated cheese, butter or cream to vegetables and soups before you mash them.
- Have full fat ice-cream, custard or cream with cakes or stewed fruit.
- Have easy to eat snacks readily available, e.g. pots of yogurt or custard, trifles or biscuits softened in a hot drink.
- Have a hot milky drink at least once a day e.g. milky coffee, hot chocolate or Ovaltine.
- Cook with plenty of oil, butter or ghee.
- Nutritional supplement drinks and soups such as Complan, Build Up and Nourishment drinks are available to buy at most pharmacies and larger supermarkets.

- Weigh yourself a maximum of once a week. If you are concerned you are losing weight, contact your dietitian. They will assess your intake and may feel it is necessary to add in nutritional supplements on prescription from your GP.
- If you are diabetic, your dietitian will be able to tailor this advice to fit your individual needs.
- If you need more information, please ask your dietitian, specialist nurse or at the Macmillan Information Centre as more detailed booklets are available.

# Meal companies providing modified meals

The following companies provide deliveries of meals to your door and offer a selection of meals of different textures:

Wiltshire Farm Foods <u>www.wiltshirefarmfoods.com</u> 0800 0773100

Oakhouse Foods <u>www.oakhousefoods.co.uk</u> 0333 3706700

# Suggested meal ideas

All of these options can be mashed or pureed if needed.

#### Breakfast:

- Weetabix or porridge made with full fat milk and sweetened with sugar.
- Scrambled egg and tinned tomatoes.
- Stewed fruit or mashed banana with full fat yogurt.
- Milky coffee or tea with bread dipped into it.

#### Mid-morning:

- 2 biscuits dunked in tea or milky coffee.
- Complan milkshake made with full cream milk.
- Small pot of full fat yogurt or custard.

#### Lunch:

- Soup with buttered bread (soaked in the soup if needed).
- Jacket potato with plenty of butter and cheese / baked beans / spaghetti hoops (remove the skin).
- Spaghetti hoops or ravioli on buttered, lightly toasted bread (crust removed and soak bread with the sauce).
- Dhal or vegetable curry with chapattis broken up and soaked in the sauce.

#### Mid-afternoon:

- Small trifle or rice pudding.
- Cake or sponge pudding soften with custard.
- Ritz crackers with cream cheese (not suitable to puree).

#### Main meal:

- Fish mashed with a white sauce, mashed potatoes and mushy peas.
- Slow cooked or tinned beef stew (meat cut and mashed with the gravy) with jacket potato and mashed swede and carrots.
- Chicken or vegetable curry (mashed or cut into small pieces) with chapattis soaked in the sauce.
- Well cooked pasta with a cheese or tomato sauce (mashed or cut up).
- Fish pie with soft broccoli.

#### **Evening:**

- Full fat ice-cream.
- Sponge pudding and custard.
- Rice pudding / Crème caramel / trifle.
- Soft fruit and custard or cream.

#### **Contact details**

Dietitian:
0116 258 5400 (Monday to Friday, 8.30am to 4.30pm - excluding bank holidays
Speech and Language Therapy:

# Weight chart

Date	Weight	Comments

اگر آپ کو یہ معلومات کسی اور زبان میں درکار ہیں، تو براہِ کرم مندرجہ ذیل نمبر پر ٹیلی فون کریں۔ علی هذه المعلومات بلغةٍ أُخرى، الرجاء الاتصال علی رقم الهاتف الذي يظهر في الأسفل જો તમને અન્ય ભાષામાં આ માહિતી જોઈતી હોય, તો નીચે આપેલ નંબર પર કૃપા કરી ટેલિફોન કરો

ਜੇ ਤੁਸੀਂ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਭਾਸ਼ਾ ਵਿਚ ਚਾਹੁੰਦੇ ਹੋ, ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਹੇਠਾਂ ਦਿੱਤੇ ਗਏ ਨੰਬਰ 'ਤੇ ਟੈਲੀਫੋਨ ਕਰੋ। Aby uzyskać informacje w innym języku, proszę zadzwonić pod podany niżej numer telefonu

If you would like this information in another language or format such as EasyRead or Braille, please telephone 0116 250 2959 or email equality@uhl-tr.nhs.uk

