

Having a circumcision under local anaesthetic

Department of Urology

Last reviewed: June 2025

Next review: June 2028

Information for Patients

Leaflet number: 721 Version: 10

What is a circumcision?

Your doctor has recommended that you have a circumcision. This is the removal of the foreskin of your penis.

Your circumcision is planned to be done under local anaesthetic. Local anaesthetic will be injected into the base of your penis. This will make it numb so that the circumcision can be done without you feeling any pain. We may send your foreskin to the laboratory to be looked at under a microscope.

What are the benefits?

- If your foreskin has been causing you problems, these issues will stop.
- There is a lower chance of getting an infection in the tip of the penis (glans).

Are there any possible complications?

As with all procedures there are possible risks. These include:

- pain, bruising and bleeding. Your penis may become quite bruised and sore. The
 bruising should start to go down after a few days. The end of your penis can feel very
 sensitive. This may go on for some weeks. This will get better with time.
- wound infection which may need treatment with antibiotics.

You will have time to talk about any risks with the doctor and nursing staff before you consent to having this procedure.

Health information and support is available at www.nhs.uk or call 111 for non-emergency medical advice

Visit www.leicestershospitals.nhs.uk for maps and information about visiting Leicester's Hospitals To give feedback about this information sheet, contact InformationForPatients@uhl-tr.nhs.uk



Are there any other treatments?

In some cases there are other treatments you can have. Your doctor will have talked to you about any other procedures that may be better for you.

We are able to use general anaesthetic instead of a local anaesthetic. This is where you are asleep during the procedure. Please talk with your doctor if you have any questions.

Preparing for your procedure

Please read the following information:

- If you are ill, or cannot keep your appointment for another reason, please let us know as soon as possible. This will let us see other patients.
- If you feel worried or nervous and want to talk to someone, please contact the nurse on the Day Case Unit.

Contact the hospital where you are booked to have the procedure:

Leicester General Hospital (Monday to Friday, 9am to 6pm): 0116 258 4192 (Day Case 1) 0116 258 8130 (Day Case 2)

Loughborough Hospital Day Surgery Unit (Monday to Friday, 8am to 6pm): 01509 564406

Melton Hospital Day Surgery Unit (Monday to Friday, 8am to 5.30pm): 01664 854904

Outside these hours contact Urology Emergency Admissions on **0116 258 4247** (24 hours).

What do I need to do before my procedure?

- Read your admission letter carefully.
- Do not wear any jewellery, except for a wedding ring.
- Do not bring any valuables with you into hospital. We cannot accept responsibility for loss or damage to personal belongings.
- Have a bath or shower before you come into hospital.
- Wear comfortable clothing and footwear to go home in.

What do I need to bring with me on the day of my procedure?

You must bring:

- **your appointment letter.** The time you need to arrive to the hospital is not the time of your procedure. The surgeon needs to see you before the start of their list. You may be waiting between 2 to 4 hours before your turn.
- any drugs, medicines or inhalers you are using. Please take your medication before attending. The pre-assessment nurse will advise you when you should take your medication.
- A contact number for your lift home.
- Bring something to do while you are waiting, such as a book or magazine to read.

What will happen while I am on the Day Case Unit?

You will need to come to the Day Case Unit and report to reception. We will check your details. We will direct you to the ward or the waiting room where a nurse will come and get you.

There will be a wait before your procedure.

The nurse will talk to you about your procedure. You can ask questions here.

You will meet one of the surgical team. They will ask you to sign a consent form. If there is anything you are concerned about or do not understand, please ask your surgeon before you sign the form.

The nurse will tell you when to change into your theatre gown. They will then take you to the operating theatre.

What happens after my procedure?

We will return you to the ward. The staff will make sure you are comfortable and give you refreshments. If you have any discomfort or feel sick, please let the staff know so they can help you.

You will recover on the ward until your nurse is happy that you are well enough to go home.

Sometimes some patients may need to stay overnight. If your doctor or nurse feels that you need to stay overnight, they will explain the reason to you.

Wound care

Your wound will have dissolvable stitches. This means they do not need to be removed. Your surgeon may also have put a gauze dressing over the wound. This may fall off after a few hours.

You should keep the wound dry for 48 hours (2 days). After this you can bath or shower as normal. You can also remove the gauze if it has not already fallen off. After your bath or shower, gently rinse the wound with clean water, but do not rub the wound. Then carefully pat it dry with a clean towel. Wearing close-fitting underwear will help to support the wound.

Always keep the wound clean and dry. Do not touch or pick the stitches. The healing process will take between 1 and 2 weeks. Your stitches can take up to 4 weeks to dissolve.

Bruising and slight redness around the wound is usual. This does not affect healing. If you see more redness, swelling or discharge from the wound, contact the Day Case Unit for advice.

More advice to follow:

- **Pain:** you may have some pain after your procedure. You will need to buy some painkillers such as paracetamol. Ask a pharmacist if you need advice about this.
 - Take painkillers when the pain starts. Do not wait for it to get really bad.
 - Take painkillers before you go to sleep so you are able to rest.
 - If your pain is very bad take the painkillers regularly (4 times a day). This is so it keeps your pain under control.
 - Take painkillers when you wake up. This is so it starts working before you get out of bed.
 - Painkillers can cause constipation. Make sure to drink plenty of water and eat some foods high in fibre such as fruit, vegetables and cereals.
 - Everyone is different. Do not be surprised if you are still having some pain for up to 2 weeks. This is quite normal.
- **Driving:** you **must not drive for 48 hours** after a general anaesthetic. You will not be covered by your car insurance. Do not drive until you can keep control of your car in an emergency. You should contact your insurance company if you are not sure.
- **Work:** it is usual to return to work 2 to 3 days after surgery. However this depends on your job.
- **Sex:** avoid sexual activity until your wound is completely healed. This could be about 4 to 6 weeks after the procedure. You may notice altered sensation at the end of your penis. It may be more sensitive to start with, but become less sensitive as the skin heals.
- **Physical activity:** do not do too much too soon. It is usual to feel some aches and pains for a few days. This can be up to 2 weeks. Avoid tiring activities, contact sports and heavy lifting for at least 2 weeks.
- Holidays: flying too soon after a procedure can increase the chance of problems. You
 may not be covered by your insurance. Please talk about this with your insurance
 company.

University Hospitals of Leicester

Patient Information Forum

Contact details

If you have any concerns or questions contact us using the following phone numbers:

Booking clerks

(for enquiries about appointment times and dates)

Phone: 0116 258 8268 Monday to Friday 9am to 4pm

Urology Assessment Centre (answering machine)

Phone: 0116 258 4632 Monday to Friday 8:30am to 4:30pm

Ward 28 / 29 (if you feel unwell)

Phone: 0116 258 4247 (24 hours)

Urology Nurse Specialists

Phone: 0116 258 4635 Monday to Friday 9am to 5pm

اگر آپ کو یہ معلومات کسی اور زبان میں درکار ہیں، تو براہِ کرم مندرجہ ذیل نمبر پر ٹیلی فون کریں۔ علی هذه المعلومات بلغةٍ أُخرى، الرجاء الاتصال علی رقم الهاتف الذي يظهر في الأسفل જો તમને અન્ય ભાષામાં આ માહિતી જોઈતી હોય, તો નીચે આપેલ નંબર પર કૃપા કરી ટેલિફોન કરો

ਜੇ ਤੁਸੀਂ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਭਾਸ਼ਾ ਵਿਚ ਚਾਹੁੰਦੇ ਹੋ, ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਹੇਠਾਂ ਦਿੱਤੇ ਗਏ ਨੰਬਰ 'ਤੇ ਟੈਲੀਫੋਨ ਕਰੋ। Aby uzyskać informacje w innym języku, proszę zadzwonić pod podany niżej numer telefonu

If you would like this information in another language or format such as EasyRead or Braille, please telephone 0116 250 2959 or email equality@uhl-tr.nhs.uk



Previous reference: CAN019-0917